

## General Spec Sheet:

### 18" (457mm) Octagon Vent


The 18" (457mm) Octagon Vent is a functional and decorative vent designed to provide unforced free airflow ventilation of attics or similar spaces when used in conjunction with proper soffit ventilation practices. Local ventilation codes apply when installing this unit.

#### FEATURES:

- Easy to install on all types of exteriors
- Single unit body construction of vent housing
- J-Channel eliminated
- Double baffles for increased weather resistance
- Fully screened for complete insect protection
- Finish trim ring adjusts for a range of siding thickness


#### SPECIFICATIONS:

Material:	Vent	UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall
	Ring	UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall
	Baffle	Black PP; .025" (.635mm) wall
	Screen	Fiberglass; 18" x 16" (457mm x 406mm) mesh
		Paintable/Stainable HIPS available
Fabrication:		Single piece moulded unit
		Baffle and screen sealed to interior side of unit
		Trim ring single piece moulded unit
Attachment:		Screw or nail directly to any surface
Packaging:		1 assembly per box
Vent Free Area:		40 sq. in. (25806 sq. mm)
Rough Opening:		12" x 12" (305mm x 305mm)
U.S. Patent No:		4,875,318; 5,349,799
Can. Patent No:		1,280,024






# 18" (457mm) Octagon Vent

Net Free Area: 40 sq. in. (25806 sq. mm)



WALL OPENING: 12" X 12"



POLYMER BAFFLE  
 .025"  
 FIBERGLASS SCREEN

# 18" (457mm) Octagon Vent

Net Free Area: 40 sq. in. (25806 sq. mm)

Note: Complete installation instructions are included with each product.




OCTAGON INSTALLED



In most cases, the rough opening can be cut directly into the sheathing. However, if a non structural sheathing is used, such as an insulating foamboard, it is recommended that the opening be framed in.

EXAMPLE OF ROUGH OPENING



\* Rough opening refers to the minimum amount of unobstructed wall opening needed to maintain the Net Free Area.

# General Spec Sheet:

## 22" (559mm) Octagon Vent

The 22" (559mm) Octagon Vent is a functional and decorative vent designed to provide unforced free airflow ventilation of attics or similar spaces when used in conjunction with proper soffit ventilation practices. Local ventilation codes apply when installing this unit.


### FEATURES:

- Easy to install on all types of exteriors
- Single unit body construction of vent housing
- J-Channel eliminated
- Double baffles for increased weather resistance
- Fully screened for complete insect protection
- Finish trim ring adjusts for a range of siding thickness

### SPECIFICATIONS:


Material:	Vent	UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall
	Ring	UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall
	Baffle	Black PP; .025" (.635mm) wall
	Screen	Fiberglass; 18" x 16" (457mm x 406mm) mesh
		Paintable/Stainable HIPS available
Fabrication:		Single piece moulded unit
		Baffle and screen sealed to interior side of unit
		Trim ring single piece moulded unit
Attachment:		Screw or nail directly to any surface
Packaging:		1 assembly per box
Vent Free Area:		54 sq. in. (34839 sq. mm)
Rough Opening:		16" x 16" (406mm x 406mm)
U.S. Patent No:		4,875,318; 5,349,799
Can. Patent No:		1,280,024
Dimensions:		

22" OCTAGON



# 22" (559mm) Octagon

Net Free Area: 54 sq. in



## General Spec Sheet:

### 27" (686mm) Octagon Vent

The 27" (686mm) Octagon Vent is a functional and decorative vent designed to provide unforced free airflow ventilation of attics or similar spaces when used in conjunction with proper soffit ventilation practices. Local ventilation codes apply when installing this unit.

#### FEATURES:

- Easy to install on all types of exteriors
- Single unit body construction of vent housing
- J-Channel eliminated
- Double baffles for increased weather resistance
- Fully screened for complete insect protection
- Finish trim ring adjusts for a range of siding thickness

#### SPECIFICATIONS:

Material:	Vent	UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall
	Ring	UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall
	Baffle	Black PP; .025" (.635mm) wall
	Screen	Fiberglass; 18" x 16" (457mm x 406mm) mesh
		Paintable/Stainable HIPS available

Fabrication:	Single piece molded unit
	Baffle and screen sealed to interior side of unit
	Trim ring single piece molded unit

Attachment: Screw or nail directly to any surface

Packaging: 1 assembly per box


Vent Free Area: 81 sq. in. (52258 sq. mm)

Rough Opening:

U.S. Patent No: 4,875,318; 5,349,799


Can. Patent No: 1,280,024

Dimensions:



# 27" (686mm) Octagon

Net Free Area: 81 sq. in. (52258 sq. mm)



# General Spec Sheet:

## 32" (813mm) Octagon Vent

The 32" (813mm) Octagon Vent is a functional and decorative vent designed to provide unforced free airflow ventilation of attics or similar spaces when used in conjunction with proper soffit ventilation practices. Local ventilation codes apply when installing this unit.

### FEATURES:

- Easy to install on all types of exteriors
- Single unit body construction of vent housing
- J-Channel eliminated
- Double baffles for increased weather resistance
- Fully screened for complete insect protection
- Finish trim ring adjusts for a range of siding thickness

### SPECIFICATIONS:

Material: Vent UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall  
 Ring UV stabilized copolymer; colour moulded in; .100" (2.54mm) nominal wall  
 Baffle Black PP; .025" (.635mm) wall  
 Screen Fiberglass; 18" x 16" (457mm x 406mm) mesh  
 Paintable/Stainable HIPS available

Fabrication: Single piece moulded unit  
 Baffle and screen sealed to interior side of unit  
 Trim ring single piece moulded unit

Attachment: Screw or nail directly to any surface

Packaging: 1 assembly per box


Vent Free Area:

Rough Opening:

U.S. Patent No: 4,875,318; 5,349,799

Can. Patent No: 1,280,024

Dimensions:



# 32" (813mm) Octagon

Net Free Area: 110 sq. in. (70968 sq. mm)

